

T 6 N

R 7 W



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Greene County are stored on microfilm Reel 4660 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township No VI North, Range No VII West 2nd Mer.

Surveyed by Danl Sullivan

Description of the Soil on the interior Sectional lines.

Between Sections	Quality of Soil	Between Sections	Quality of Soil	Between Sections	Quality of Soil
30-31	2nd rate - Sticky &c	35-36	South half wet last half same	1-5	2nd rate Oak land
25-26	Good bottom land Sugar tree &c	27-28	2nd rate Oak land	31-32	Wet land
24-25	Good Oak land	27-28	ditto	29-30	2nd rate Oak land
23-24	2nd rate Oak land	22-23	Wet Prairie	20-21	ditto
13-14	Good Oak land	21-22	2nd Oak land	19-20	ditto
13-14	ditto	22-23	ditto	17-18	ditto
12-13	Wet land	15-16	ditto	17-18	ditto
11-12	ditto	10-11	Marsh	8-9	ditto
1-12	2nd rate Oak land	9-10	ditto	7-8	ditto
1-2	ditto	3-4	ditto	5-6	Wet land
34-35	ditto	32-33	2nd rate Oak land	5-6	2nd rate Oak land
26-27	ditto	28-29	2nd rate Wet land	30-31	Good Prairie
26-27	Wet Land	28-29	2nd rate Oak land	19-20	ditto
23-24	2nd rate Oak land	21-22	ditto	17-18	2nd rate Oak land
22-23	ditto	20-21	ditto	7-8	ditto
14-15	Swamp	16-17	ditto	6-7	2nd rate Prairie
11-12	ditto	16-17	ditto		
10-11	ditto	9-10	ditto		
1-11	2nd rate land	8-9	Mostly wet land		
1-3	2nd rate Oak land	4-5	Musky wet land		

T. 6 N. R. 7 W. 2nd Mer. Ind.

West On S. side of sec. 33,
 5.00 To an ash 12 in. diam.
 21.88 " a Do. 20 " "
 40.00 Set gr. sec. post from which
 an ash 20 in. dia. bears S 56° W 64th dist,
 & a Maple 30 " " " N 44° E 18 " "
 44.00 Over swamp
 54.45 To a B. Oak 24 in. diam.
 70.00 Enter a prairie 12 chs. wide,
 80.00 Set post cor. to sec. 32 & 33 from which
 an Elm 12 in. dia. bears N 46° W 36th dist,
 & a Do. 30 " " " N-E 170 " "
 Finish 1/2 mile maple swamp
 Last 1/2 " Oak land,

West On South side of Sec. 32
 5.64 To a Hickory 18 in. dia.
 40.00 Set gr. sec. post from which
 a Hickory 15 in. dia. bears N 63° E 14th dist,
 & a Do. 15 " " " S 80° W 44th dist,
 43.80 To a B. Oak 36 " "
 75.00 Enter a swamp
 80.00 Set post cor. to sec. 31 & 32 in swamp
 no bearings. (no description)

West On the S. side of sec. 31
 6.00 Enter timbered swamp
 13.50 To a stream 50th dist. wide on S.
 40.00 Set gr. sec. post from which
 an Elm 15 in. dia. bears S 56° E 70th dist,
 no other bearing given
 this post stands in edge of dry land
 65.10 Intersect Range line 33.50 North of true
 corner of T. 5 N. 6 E. R. 8 W. Set post at the
 intersection for cor. T. 5 N. 6 E. Range 7 W.
 a B. Oak 24 in. dia. bears N 6° E 104th dist,

T. 6 N. R. 7 W. 2nd Mer. Ind.

Co. L. & a Hickory 20 in. dia. bears N 68° E 64th dist,
 Last 1/2 mile 3rd rate Oak land,
 Surveyed in 1811 by -
 Daniel Sullivan D. S.

East Boundary,
 Var. 6° 30' E.

North On E. Boundary Sec. 36.
 54 To a Sassafras 15 in. diam.
 19.80 " an ash 30 " "
 40.00 " a Hickory 20 " " gr. sec. cor. tree
 67.84 " a Do. 18 " "
 80.00 Set post cor. sec. 25 & 36 from which
 a Beech 30 in. dia. bears N 86° W 36th dist,
 & a Do. 36 " " " S 70° W 21 " "
 Over good bottom land, Oak Sugar &c,

North On the E. boundary Sec. 25
 54 To a Beech 36 in. diam.
 3.80 " an Elm 20 " "
 40.00 Set gr. sec. post from which
 a Hickory 4 in. diam. bears N 85° E 6th dist,
 & an Elm - " " " N 37° W 21 " "
 43.63 To a Locust - " "
 62.00 Leave bottom land
 80.00 Set post cor. sec. 24 & 25 from which
 a B. Oak 30 in. dia. bears S 26° W 95th dist,
 & a Do. 30 " " " N 3° W 54 " "
 Fine bottom land timb. Walnut &c,

North On E. boundary Sec. 24
 21.00 Enter prairie
 40.00 Set gr. sec. post in prairie. no bearings
 80.00 Set post cor. to sec. 13 & 24 in prairie
 no bearings. (no description.)

T. 6 N. R. 7 W. 2nd Mer. Ind.

West On S. side of Sec. 33,
 5.00 To an ash 12 in. diam.
 21.88 " a Do. 20 " "
 40.00 Set gr. sec. post from which
 an ash 20 in. dia. bears S 56° W 66 ft. dist,
 & a Maple 30 " " " N 44° E 18 " "
 44.00 Over swamp
 54.45 To a B. Oak 24 in. diam.
 70.00 Enter a prairie 12 hrs. wide,
 80.00 Set post cor. to sec. 32 & 33 from which
 an Elm 12 in. dia. bears N 76° W 36 ft. dist,
 & a Do. 30 " " " N 61° W 10 " "
 Finish 1/2 mile maple swamp
 Last 1/2 " Oak land.

West On South side of Sec. 32
 5.64 To a Hickory 18 in. dia.
 40.00 Set gr. sec. post from which
 a Hickory 15 in. dia. bears N 63° E 19 ft.,
 & a Do. 15 " " " S 80° W 44 ft. dist.
 43.80 To a B. Oak 36 " "
 75.00 Enter a swamp
 80.00 Set post cor. to sec. 31 & 32 in swamp
 no bearings. (no description)

West On the S. side of sec. 31
 6.00 Enter timbered swamp
 13.50 To a stream 50 ft. wide cor. S.
 40.00 Set gr. sec. post from which
 an Elm 15 in. dia. bears S 56° W 70 ft. dist,
 no other bearing given
 this post stands in edge of dry land
 65.10 Intersect Range line 33.50 North of true
 corner of T. 5 N. R. 8 W. & set post at the
 intersection for cor. T. 5 N. R. 7 W.
 a B. Oak 24 in. dia. bears N 6° E 104 ft. dist.

T. 6 N. R. 7 W. 2nd Mer. Ind.

On L. & a Hickory 20 in. dia. bears N 68° E 64 ft. dist.
 Last 1/2 mile 2nd rate Oak land,
 Surveyed in 1811 by -
 Daniel Sullivan D. S.

East Boundary,

Var. 6° 30' E.

North On E. Boundary Sec. 36.
 54 To a Sassafras 15 in. diam.
 19.80 " an ash 30 " "
 40.00 " a Hickory 20 " " gr. sec. cor. tree
 67.84 " a Do. 18 " "
 80.00 Set post cor. sec. 25 & 36 from which
 a Beech 30 in. dia. bears N 86° W 36 ft. dist,
 & a Do. 36 " " " S 70° W 21 " "
 Over good bottom land, Oak Sugar &c.

North On the E. boundary Sec. 25
 54 To a Beech 36 in. diam.
 3.80 " an Elm 20 " "
 40.00 Set gr. sec. post from which
 a Hickory 4 in. diam. bears N 85° E 6 ft. dist,
 & an Elm - " " " N 37° W 21 " "
 43.63 To a Locust - " "
 62.00 Leave bottom land
 80.00 Set post cor. sec. 24 & 25 from which
 a B. Oak 30 in. dia. bears S 26° W 95 ft. dist,
 & a Do. 30 " " " N 37° W 54 " "
 Fine bottom land timbered. Walnut &c.

North On E. boundary Sec. 24
 21.00 Enter prairie
 40.00 Set gr. sec. post in prairie. no bearing
 80.00 Set post cor. to sec. 13 & 24 in prairie
 no bearings. (no description.)

T. 6 N. R. 7 W. 2nd New, Ind.

North On E. boundary Sec. 13
 33.83 To a B. Oak 24 in. dia. in the line
 40.00 Set gr. sec. post from which
 a B. Oak 20 in. dia. bears S 72° E 150 th. dist,
 no other
 45.00 Leave prairie,
 53.44 To a W. Oak - in. diam.
 70.00 " " Pond 11.00 wide,
 80.00 Cor. to sec. 12 & 13 in pond
 wet prairie land,

North On E. boundary of Sec. 12
 1.00 Leave the pond
 33.85 To a B. Oak 24 in. dia.,
 40.00 Set gr. sec. post from which
 a W. Oak 18 in. dia. bears N 50° E 32 th. dist,
 & a Hickory 20 " " " S 65° W 31 " "
 57.85 To a W. Oak 24 " " in the line
 80.00 Set post cor. to sec. 11 & 12 from which
 a B. Oak 24 in. dia. bears S 5° W 17 th. dist &
 a W. Oak 20 " " " N 45° W 5 " "
 Good Oak land on this line,

North On E. side of Section 1
 2.61 To a W. Oak 10 in. diam.,
 11.00 " " Pond
 40.00 Dr. Sec. cor. in the pond
 70.31 Intersect N. boundary & set post corner
 Towns 6 & 7 N. Ranges 6 & 7 W. from which
 a Hickory 10 in. dia. bears N 65° W 8 th. dist,
 & a Do. 12 " " " N 72° E 28 " "
 (Deerp. omitted.) Friday, February 1st 1811.

Don L. Sullivan
 Dep. Surveyor.

T. 6 N. R. 7 W. 2nd New, Ind.

C. L. North Boundary.

West On Random S. side Sec. 36 T. 6 N. R. 7 W.
 40.00 Set temp. gr. sec. post,
 80.00 Set post cor. to sec. 35 & 36,
 on the E. side of a prairie,

West On Rand. S. side Sec. 35 T. 6 N. R. 7 W.
 40.00 Set temporary gr. post in prairie
 80.00 Set post cor. sec. 34 & 35,
 on W. side of prairie,

West On Rand. S. side Sec. 34 T. 6 N. R. 7 W.
 40.00 Set temporary gr. post, on E. side of prairie
 80.00 Set temp. post cor. sec. 33 & 34

West On Rand. S. side of Sec. 33 T. 6 N. R. 7 W.
 40.00 Set temp. gr. post,
 80.00 Set temp. post cor. sec. 32 & 33,
 on W. side of prairie

West On Rand. S. side of sec 32 T. 6 N. R. 7 W.
 40.00 Set temp. gr. post
 80.00 Set temp. post cor. sec. 31 & 32
 Level White Oak land

West On Rand. S. side sec. 31 T. 6 N. R. 7 W.
 40.00 Set temp. gr. sec. post in prairie
 60.00 To a Road on S. W.
 78.50 Intersect W. boundary 200 th. at. of cor.
 corner stands in large prairie,
 April 21st 1811. -

East Correct. On true line S. side sec 31 T. 6 N. R. 7 W.
 38.50 Set gr. sec. post for corner, no bearings
 78.50 Set post cor. sec. 31 & 32 from which

T. 6 N. R. 7 W. 2nd Mer. Ind.

C. L. a Hickory 14 in. dia. bears N 71 E 18 lbs. dist.
 & a B. Oak 24 " " " N 22 W 61 " "

East On S. boundary sec. 32 T. 6 N. R. 7 W.
 40.00 Set gr. sec. post from which
 a Hickory 12 in. dia. bears S 16 E 16 lbs. dist.
 & a Do. 12 " " " S 62 E 29 " "

80.00 Set a post cor. sec. 32 & 33 from which
 a Red Oak 24 in. dia. bears N 33 W 87 lbs. dist.
 & an Elm 14 " " " S 45 W 75 " "

East On S. boundary sec. 33 T. 6 N. R. 7 W.
 40.00 Set gr. sec. post from which
 a B. Oak 18 in. diam. bears N 80 W 18 lbs. dist.
 & an Elm 10 " " " S 76 E 20 " "
 80.00 Set a post cor. sec. 33 & 34 from which
 no bearings. cor. in prairie.

East On S. boundary sec. 34 T. 6 N. R. 7 W.
 40.00 Set gr. sec. post from which
 an Elm 12 in. dia. bears S 22 W 10 lbs. dist.
 & an Elm 12 " " " S 8 E 13 " "
 80.00 Set post cor. sec. 34 & 35 from which
 a Hickory 10 in. dia. bears S 81 E 46 lbs. dist.
 & a W. Oak 30 " " " N 89 W 70 " "

East On S. boundary sec. 35 T. 6 N. R. 7 W.
 40.00 Set gr. sec. post in prairie. no bearings
 80.00 Set post cor. sec. 35 & 36 from which
 a B. Oak 24 in. dia. bears N 22 W 45 lbs. dist.
 & a Hickory 12 " " " S 70 E 47 " "

East On S. boundary sec. 36 T. 6 N. R. 7 W.
 40.00 Set gr. sec. post from which
 a W. Oak 18 in. dia. bears S 8 E 75 lbs. dist.
 & no other bearing -

T. 6 N. R. 7 W. 3rd Mer. Ind.

80.00 Intersect Rand. line at temp. post
 & set post cor. Lower 64 & N. Range 64 & W.
 a Hickory 10 in. dia. bears N 65 W 8 lbs. dist.
 & a Do. 12 " " " N 72 E 28 " "
 Surveyed in 1811 by -
 Alex. Holmes.

Dep. Surveyor.

West Boundary.

North On E. boundary sec. 36 T. 6 N. R. 8 W.
 40.00 To a Hickory 18 in. dia. for gr. cor. tree
 80.00 Set post cor. sec. 25 & 36 from which
 a Hickory 18 in. dia. bears N 44 W 11 lbs. dist.
 & a W. Oak 20 " " " S 4 W 95 " "
 2nd rate Oak land

North On E. boundary sec. 25 T. 6 N. R. 8 W.
 18.00 Entered a prairie 220 ft wide
 40.00 Set gr. sec. post from which
 a W. Oak 18 in. dia. bears N 6 E 11 lbs. dist.
 & a Do. 20 " " " N 9 W 123 " "
 80.00 Set post cor. to sec. 24 & 25 from which
 a W. Oak 30 in. dia. bears N 19 W 56 lbs. dist.
 & a Red Oak 36 " " " S 9 W 68 " "
 Over moderate Oak land.

North On E. boundary sec. 24 T. 6 N. R. 8 W.
 40.00 Set gr. sec. post in edge of prairie,
 a Hickory 24 in. dia. bears S 35 W 86 lbs. dist.
 no other tree near,
 55.00 To a stream 10 lbs. wide cor. S E,
 80.00 Set a post cor. sec. 13 & 24 from which
 no bearings - cor. in prairie
 Land as before timbered Oak, &c.

North On E. boundary sec. 13 T. 6 N. R. 8 W.

T. & C. N. R. & W. 2nd Mer. Ind.

- 13.00 Leave prairie
 40.00 Set gr. sec. post from which
 a Hickory 14 in. dia. bears S14E24th dist,
 & a Do. 18 " " " N61W63 " "
 80.00 Set a post cor. Sec. 12 & 13 from which
 a B. Oak 24 in. dia. bears S89E43th dist,
 & a W. Oak 28 " " " S48W53 " "
 Land timber &c. same as on last mile

- North On E. boundary Sec. 12 T. & C. N. R. 8th V.
 40.00 Set gr. sec. post from which
 a B. Oak 12 in. dia. bears S13W70th dist,
 & a Do. 14 " " " S44E107 " "
 cor. on E. side of prairie
 80.00 Set post cor. to sec. 1 & 12 from which
 no bearings. cor. in prairie -

- North On E. boundary Sec. 1 T. & C. N. R. 8th V.
 17.45 To a Hickory - in. dia. at the woods
 17.85 " " Stream 20 lbs. wide cr. E.
 40.00 Set gr. sec. post from which
 a B. Oak 12 in. dia. bears S27E75th dist
 & a Hickory 10 " " " N44W115 " "
 46.00 Entered a prairie - line continues in it,
 near the edge to the end,
 66.40 To a W. Oak 18 in. dia.
 80.00 Set temporary post,
 95.00 To cor. Towns 6 & 7 N. Range 7 & 8 W.
 no description, February 9th 1811.
 Surveyed by
 Dan^l. Sullivan. Dep. Sur.

- Subdivisions, T. & C. N. R. 6th 30th E.
 North Between sections 35 & 36
 2.50 Intersect bank of Black Water river
 24.87 To a Hickory 18 in. dia. -

T. & C. N. R. & W. 2nd Mer. Ind.

- 40.00 Set gr. sec. post from which
 a Hickory 18 in. dia. bears S51E55th dist,
 & a Do. 14 " " " North 53 "
 44.50 To a prairie 20.00 wide,
 80.00 Set post cor. to sec. 25, 26, 35 & 36 -
 an Elm 14 in. dia. bears N53E48th dist,
 & a Do. 20 " " " S10E13 " "
 2nd rate land. timber Hickory &c.,

- East On Random between sec. 25 & 36
 27.60 B. Water 100 lbs. wide goes south
 40.00 Set temporary gr. sec. post,
 Last & good bottom land sugar &c.,
 79.00 Intersect Range line at post

- West Correct the line between sec. 25 & 36
 39.50 To an ash 20 in. dia. for 1/4 sec. cor.,
 79.00 " the sec. corner,

- North Between sections 25 & 26. (1811.)
 22.00 To a prairie 8,
 30.25 " an Elm 24 in. dia. in the line,
 40.00 Set gr. sec. post from which
 an ash 20 in. dia. bears S64W19th dist,
 & a Do. 15 " " " N85E34 " "
 43.94 To a W. Oak 24 " " in the line,
 80.00 Set post cor. to sec. 23, 24, 25 & 26 from wh.,
 a W. Oak 24 in. dia. bears N85E95th dist
 & a B. Oak 36 " " " N83W40 " "
 (no description given,)

- East On Random between sections 24 & 25
 40.00 Set temporary gr. sec. post
 40.50 To B. Water 300 lbs. wide cr. S,
 79.00 Intersect E. line of sec. 24 at post
 Good Oak land -

T. 6 N. R. 7 W. 2nd Mer. Ind.

West Correct the line between sec. 24 & 25
 39.50 Set gr. sec. post from which
 a W. Oak 24 in dia. bears N 63 E 16 1/2 m. dist,
 & a Houlberry 12 " " " S 26 E 34 " "
 79.00 To the sec. corner,

North Between sections 23 & 24
 22.66 To a B. Oak 36 in dia.
 40.00 Set gr. sec. post from which
 an Elm 12 in dia. bears N 22 W 8 1/2 m. dist,
 & a W. Oak 20 " " " S 22 E 55 " "
 80.00 Set post cor. to sec. 13, 14, 23 & 24 from which
 a Hickory 14 in dia. bears N 87 W 42 1/2 m. dist,
 & a W. Oak 20 " " " S 86 E 49 " "
 Over separate land —

East On Random between sec. 13 & 24
 16.00 To B. Water 150 m. wide cor. S,
 40.00 Set temporary gr. sec. post
 55.00 To prairie to end of the line
 79.80 Intersect E. boundary at post,
 Over good Oak land

West Correct the line between sec. 13 & 24
 39.90 To an Elm 18 in dia. from sec. corner,
 79.80 To the sec. corner,

North Between sections 13 & 14
 8.00 To a B. Oak 36 in dia. bears in line,
 40.00 " a Hickory 15 " " for 1/4 sec. cor.,
 42.50 " a Do. 18 " " in line,
 53.00 " B. Water grass S. E.,
 73.00 " a Hickory 24 in dia. in the line
 80.00 Set a post cor. sec. 11, 12, 13 & 14 from wh.
 a B. Oak 20 in dia. bears N 5 E 10 m. dist
 & a B. Oak 15 " " " N 83 W 19 " "

T. 6 N. R. 7 W. 2nd Mer. Ind.

C. S. Over Good Oak land

East On Random between sec. 12 & 13,
 40.00 Set gr. sec. temporary post from which
 an Elm 12 in dia. bears N 61 E 22 1/2 m. dist,
 & a B. Oak 20 " " " N 16 E 19 " "
 69.00 Entered a pond
 80.00 Intersect Range line in pond
 Over wet land

North Between sections 11 & 12
 8.00 To an Elm 30 in dia. in the line,
 39.00 " a pond 8.00 wide
 40.00 Dr. sec. cor. in the pond
 80.00 Set post cor. to sec. 1, 2, 11 & 12 from wh.
 a W. Oak 18 in dia. bears N 76 W 40 m. dist,
 & a Do. 20 " " " S 18 E 57 " "
 Wet land on this mile,

East On Random between sec. 1 & 12
 40.00 Set temporary gr. sec. post,
 80.00 Intersect Range line at post,
 Over separate wet land
 West Correct between sec. 1 & 12 a Hickory 15 N 81 E 37 - Do. 12 S 68 E 35
 40.00 Set gr. sec. post from which

North On the line between sec. 1 & 2
 2.94 To a Hickory 6 in dia.
 32.10 " a W. Oak 24 " "
 40.00 Set gr. sec. post from which
 a B. Oak 34 in dia. bears N 87 E 24 m.
 & a W. Oak 20 " " " S 56 W 30 "
 To an Elm 10 " " —
 69.23 Intersect N. boundary 107 m. N. of post. at post
 cor. sec. 1 & 2. To a B. Oak 27 S 30 W 20 1/2 m. Do. 18 S 125 W 50,
 separate Oak land,

North Between sections 34 & 35
 11.50 To a Hickory 20 in dia. —

T. Co. N. R. 7 W. 2nd Mer. Ind.

- 22.00 To a prairie 1800 lbs. wide
 40.00 Set gr. sec. post from which
 a W. Oak 4 in dia. bears S 45 E 21 lbs. dia.,
 no other given
 57.29 To a Hickory 24 in dia.
 55.00 " " prairie 20 chs. wide,
 80.00 Set a post cor. sec. 26.27.34 & 35 from wh.
 a B. Oak 5 in dia. bears S 87 W 54 lbs. dia.,
 & a Do. 4 " " " S 20 E 58 " "
 over separate Oak land

- East On Random between sec. 26 & 35
 18.00 Over prairie
 40.00 Set temporary gr. sec. post
 48.00 To a prairie 1000 lbs. wide,
 79.64 Intersect E. line of sec. 30 lbs. at,
 of post. 2nd rate Oak land,

- West Correct the line between sec. 26 & 35
 39.87 Set gr. sec. post from which
 an Elm 20 in dia. bears N 32 W 16 lbs. dia.,
 & a B. Oak 30 " " " N 75 E 33 " "
 79.64 To the sec. corner,

- North Between sections 26 & 29
 25.00 Leave prairie
 31.83 To an ash 20 in dia.,
 40.00 Set gr. sec. post from which
 an ash 14 in dia. bears S 28 W 30 lbs. dia.,
 & an ash 10 " " " S 31 E 50 " "
 63.46 To a W. Oak 29 in dia. in line
 80.00 Set a post cor. sec. 22, 23, 26 & 29 from wh.
 an Elm 14 in dia. bears S 27 W 22 lbs. dia.,
 & a W. Oak 18 " " " N 13 W 36 " "
 wet land -

T. Co. N. R. 7 W. 2nd Mer. Ind.

- East On Random between sec. 23 & 26
 40.00 Over Maple swamp. (1/4 sec. cor., temp. post)
 80.70 Intersect E. line of sec. 50 lbs. N. of post
 over separate Oak land

- West Correct the line between sec. 23 & 26
 40.35 To a Hickory 18 in dia. for 1/4 sec. cor.,
 80.70 To the sec. corner,

- North Between sections 22 & 23
 82 To an Elm 10 in dia.,
 40.00 Set gr. sec. post from which
 a W. Oak 10 in dia. bears S 80 W 28 lbs. dia.,
 & a Do. 12 " " " N 41 E 30 " "
 45.00 To a prairie 23.00 wide,
 68.70 " " W. Oak 24 in dia. in the line
 80.00 Set post cor. sec. 14, 15, 22 & 23 from which
 a Hickory 5 in dia. bears N 16 W 29 lbs. dia.,
 & a Do. 14 " " " N 43 E 98 " "
 separate wet land,

- North Between sections 14 & 15
 7.40 To a Hickory 10 in dia.,
 20.00 Enter a swamp Error
 40.00 Dr. sec. corner is in swamp
 80.00 Corner to sec. 10, 11, 14 & 15 in same,

- East On Random between sec. 14 & 23,
 40.00 Set temporary gr. sec. post
 78.05 Intersect the E. line of sec. 14 lbs. at,
 of post. Over 2nd rate Oak land,

- West Correct the line between sec. 14 & 23
 39.02 Set gr. sec. post from which
 an Elm 20 in dia. bears N 19 E 82 lbs. dia.,
 & a Do. 10 " " " S 53 E 67 " "

T. Co. N. R. 7 W. 3rd Mer. Ind.

78.05 To the Sec. corner

North Between sections 14 & 15.

7.40 To a Hickory 10 in. dia. in line,

20.00 Enter a swamp

40.00 Dr. sec. cor. in swamp

80.00 Corner sec. 10-11-14 & 15 in swamp
Land all swamp

East On Random between sec. 11 & 14

40.00 Dr. sec. cor. (Temporary) in marsh

42.00 To wood land best wet

80.00 Intersect E. line of sec. at post.

West Correct the line between sec. 11 & 14

40.00 Established 1/4 sec. cor. in marsh

80.00 To the section corner.

North Between sections 10 & 11.

40.00 Dr. sec. cor. in marsh

80.00 cor. sec. 2, 3, 10 & 11 in Do.
Land all marsh

East On Random between sec. 2 & 11

18.00 Leave the mark

40.00 Set temporary gr. sec. post.

80.00 Intersect E. line of sec. at post
Over wet 1/2 rate land

West Correct the line between sec. 2 & 11

40.00 To an Elm 18 in. dia. gr. sec. cor. tree

80.00 To the sec. corner.

North Between sections 2 & 3.

33.00 Leave the mark

37.33 To an Elm 30 in. dia.

T. Co. N. R. 7 W. 3rd Mer. Ind.40.00 Set gr. sec. post from which
an Elm 10 in. dia. bears N 68 E 14 in. dist,
& a Hickory 12 " " " N 87 W 44 " "

42.90 To a Do. 15 " " —

67.26 Set post cor. sec. 2 & 3, 400 ft. W. of cor.
a W. Oak 9 in. dia. bears N 61 E 10 in. dist,
& a Do. 14 " " " S 82 E 68 " "
Sec. rate Oak land on last 1/2 mile,

North Between sections 33 & 34

1.14 To an Ash 12 in. dia.

28.00 " " Do. 20 " "

40.00 Set gr. sec. post from which
a Hickory 14 in. dia. bears S 27 W 6 in. dist,
& a Do. 8 " " " N 75 E 16 " "

55.50 To a Do. 12 " " in the line,

80.00 Set a post cor. sec. 27, 28, 33 & 34 from wh.
a Hickory 15 in. dia. bears S 33 W 15 in. dist,
& a B. Oak 24 " " " N 71 E 74 " "
1st 1/2 mile is wet land Elm &
last 1/2 2nd rate Oak land &

East On Random between sec. 27 & 34

40.00 Set a Temporary gr. sec. post.

65.00 To a prairie running to end of line,

79.60 Intersect the E. line of sec. 22 in. S. of
post. Over sec. rate Oak land.

West Correct the line between sec. 27 & 34

39.80 Set gr. sec. post from which
a Hickory 16 in. dia. bears North 49 in.
& a W. Oak 24 " " " S 58 E 54 " dist,

79.60 To the sec. corner.

North Between sections 27 & 28.

1234 To a —

T. 6 N. R. 7 W. 2nd New. Ind.

35.85 To a B. Oak 36 in. dia. -
 40.00 Set gr. sec. post from which
 a B. Oak 30 in. dia. bears N17W50th,
 & a Do. 33 " " " S24W40 " dia,
 80.00 Set a post cor. to sec. 21.22.27 & 28 from which
 a Hickory 15 in. dia. bears S79W28 the dist.
 & a B. Oak 30 " " " S42E75 " "
 over separate Oak lands,

East On Random between sec. 22 & 27
 10.00 To a prairie 59 chs. wide,
 40.00 Set temporary gr. sec. post,
 80.00 Intersect the E. line of sec. 60 th. dist.
 of post. Land wet prairie,

West Correct the line between sec. 22 & 27
 40.05 Set gr. sec. post from which
 a W. Oak 20 in. dia. bears N89E108 th.,
 & a W. Oak 24 " " " N69W80 " dia,
 80.10 To the sec. corner,

North Between sections 21 & 22,
 6.25 To a Hickory 15 in. dia. -
 40.00 Set gr. sec. post from which
 a W. Oak 36 in. dia. bears N43E32 th. dist.
 & a Do. 24 " " " S31W16 " "
 72.68 To a W. Oak 30 " " in the line,
 80.00 Set a post cor. sec. 15.16.21 & 22.
 a W. Oak 24 in. dia. bears N44W32 th. dist.
 & a B. Oak " " " S58E55 " "
 separate Oak land,

East On Random between sec. 15 & 22
 40.00 Set a temporary gr. sec. post
 79.50 Intersect the E. line 130 th. N. of
 post. 2nd rate Oak land,

T. 6 N. R. 7 W. 2nd New. Ind.

West Correct the line between sec. 15 & 22
 39.75 Set gr. sec. post from which
 a Hickory 18 in. dia. bears N49W18 th.,
 & a Do. 18 " " " N44E55 "
 79.50 To the sections corner,

North Between sections 15 & 16,
 10.05 To a W. Oak 30 in. dia. -
 40.00 " " Hickory 4 " " for 1/4 sec. cor. tree
 67.28 " " B. Oak 18 " " in the line,
 74.00 Enter a marsh
 80.00 Set cor. to sec. 9.10.15 & 16 in marsh,
 an ash 20 in. dia. bears N66E30 th. dist.
 & a B. Oak 10 " " " S49W53 " "
 2nd rate Oak land,

East On Random between sec. 10 & 15
 40.00 Set gr. sec. cor. in marsh tempy.,
 80.00 Intersect E. line of sec. at post,
 Land chiefly marsh

West Between sections 10 & 15
 40.00 Set gr. sec. post in marsh as bearings
 80.00 To the sec. corner,

North Between sections 9 & 10
 20.00 along edge of & enters marsh
 40.00 Set gr. sec. post in marsh. no bearings
 80.00 Corner of sec. 3.4.9 & 10 in marsh
 no bearings - Land all marsh

East On Random between sec. 3 & 10
 40.00 Set temporary gr. sec. post
 80.00 Intersect the E. line of sec. 100 th.
 N. of post. Marshy land

T. Co. N. R. 7 W. 3rd. New. Ind.

West Correct the line between sec. 34 & 10
 40.00 Set g^r. sec. post in marsh,
 80.00 ~~Intersect the E. line of sec. 34, corner,~~

North Between sections 34 & 4. not run
 This line is all in swamp,

North Between sections 32 & 33,

2.00 Leave the prairie
 27.68 To a B. Oak 30 in. dia. -
 40.00 Set g^r. sec. post from which
 a Maple 36 in. dia. bears N25W29 1/2 mi. dist.
 a Saw Elm 18 " " " S12E25 " "
 61.00 To a W. Oak 24 " " in the line
 80.00 Set a post cor. to sec. 28, 29, 32 & 33,
 a B. Oak 24 in. dia. bears N81E50 1/2 mi. dist.
 a W. Oak 18 " " " S70E73 " "
 Separate Oak land.

East On Random between sec. 32 & 33
 20.00 Over prairie
 40.00 Set temporary g^r. sec. post,
 80.94 Intersect the E. boundary, 10 mi. N.
 of post. Separate wet land

West Correct the line between sec. 28 & 33
 40.47 Set g^r. sec. post from which
 an Elm 10 in. dia. bears S33E59 1/2 mi.
 a Hickory 14 " " " West 50 " dist.
 80.94 To the sec. corner,

North Between sections 28 & 29
 15.26 To a Hickory 20 in. dia. in the line,
 20.00 Enter prairie 800 wide
 40.00 Set g^r. sec. post from which
 a Hickory 14 in. dia. bears N14E50 1/2 mi. dist.

T. Co. N. R. 7 W. 3rd. New. Ind.⁶¹

Co. Sec. To a Hickory 20 in. dia. bears N70W48 1/2 mi. dist.
 50.12 To a B. Oak - " " -
 80.00 Set post cor. to sec. 20, 21, 28 & 29,
 a W. Oak 30 in. dia. bears S74E93 1/2 mi. dist. &
 a W. Oak 24 " " " N33E81 " "
 Over separate Oak land.

East On Random between sec. 20 & 28,
 40.00 Set temporary g^r. sec. post,
 80.50 Intersect the E. line of sec. 50 mi. S. of
 post. Over Oak land & 2nd rate.

West Correct the line between sec. 21 & 28
 40.25 Set g^r. sec. post from which
 a B. Oak 6 in. dia. is g^r. cor. tree
 80.50 To the sec. corner,

North Between sections 20 & 21

3.70 To a B. Oak 36 in. dia. -
 40.00 Set g^r. sec. post from which
 a B. Oak 30 in. dia. bears N30W48 1/2 mi.
 a No. 36 " " " S11E70 " dist.
 49.58 To a W. Oak 15 " " in line
 80.00 Set post cor. sec. 16, 17, 20 & 21 from which,
 a W. Oak 20 in. dia. bears S51W99 1/2 mi. dist.
 a Hickory 18 " " " N65E56 " "
 Over separate Oak land

East On Random between sec. 16 & 21
 40.00 Set a temporary g^r. sec. post,
 80.00 Intersect the E. line of sec. 50 mi.
 S. of post. Separate Oak land.

West Correct the line between sec. 16 & 21
 40.00 Set g^r. sec. post from which
 a W. Oak 22 in. dia. bears S36W30 1/2 mi. dist.

T. & N. R. 7 W. 3rd. Mon. Ind.

6. L. To a W. Oak 22 in dia. bears at 32 E. 45 M.
80.00 To sw. corner.

North Between sections 16 & 17

15.05 To a B. Oak 18 in dia.
40.00 Set gr. sec. post from which
a W. Oak 20 in dia. bears North 30 M.
+ Do. 18 " " " S 58 W 39. dist
80.00 Set a post cov. sec. 8, 9, 16 & 17 from which
a Hickory 24 in dia. S 74 E 48 M. dist &
" Do. 18 " " " S 26 W 77. "
Sec. rate Oak land -

East Between sections 9 & 16

40.00 Set temp. gr. sec. post.
50.00 Enter prairie 16.50 M. wide
66.50 To a stream 20 M. wide cu. S.
80.80 Intersect E. line of sec. at post
Land sec. rate for

West Correct the line between sec. 9 & 16
40.40 To a Hickory 24 in dia. gr. sec. cov.
80.80 To the sections corner,

North Between sections 8 & 9

3.37 To a Beech 36 in dia. in line,
36.00 " " prairie 20.00 wide
40.00 Set gr. sec. post from which
an Elm 18 in dia. bears N 3 W 185 M. dist.
+ a Do. 20 " " " N E 150 " "
69.89 To a Maple 20 " " in the line
80.00 Set post cov. to sec. 4, 5, 8 & 9 from which
a W. Oak 20 in dia. bears S 84 W 32 M.
+ a Gum 12 " " " N 58 E 14 "
mostly wet land.

T. & N. R. 7 W. 3rd. Mon. Ind.

East Between sections 4 & 9

40.00 Set a Temporary gr. sec. post,
65.00 Enter open marsh,
80.00 Intersect the E. line of sec. at post
in marsh. all wood land,

West Correct the line between sec. 4 & 9

40.00 Set gr. sec. post from which
an Elm 12 in dia. bears at 76 W 31 M.
+ a B. Oak 3 " " " N 52 E 19 "
80.00 To the sw. corner,

North Between sections 4 & 5

20.00 To a B. Oak 24 in dia. in line,
40.00 Set gr. sec. post from which
a W. Oak 20 in dia. bears S 36 E 9 M.
+ a Hickory 12 " " " N 3 W 90 " dist
53.68 To an Elm 12 " " -
66.76 Intersect N. boundary 831 M. West of post
+ set post cov. to sec. 4 & 5. from which
a B. Oak 18 in dia. bears S 8 E 125 M. dist.
+ a Hickory 14 " " " S 57 W 152 " "
73 This line was measured from a W. Oak
bearing true. no post found at gr. post
note. this W. Oak bears from S. corner
at 3 E. 69 M. dist. - Feb 23. 1811 -
Second rate Oak land

North Between sections 31 & 32

5.00 Leave open marsh
8.67 To an Ash 18 in dia. in line,
40.00 Set gr. sec. post from which
an Ash 15 in dia. bears S 40 W 10 M.
+ a W. Oak 18 " " " N 65 E 10 "
44.00 To an Elm - " "
80.00 Set a post cov. sec. 31 & 32, 29 & 30 -

T. & N. R. 7 W. 3rd New Ind.

6. L. To a W. Oak 22 in dia. bears at 32 E. 45 M.
80.00 To sw. corner,

North Between sections 16 & 17

15.05 To a B. Oak 18 in dia.
40.00 Set gr. sec. post from which
a W. Oak 20 in dia. bears North 30 M.
& Do. 18 " " " S 58 W 39. dit.
80.00 Set a post cov. sec. 8, 9, 16 & 17 from which
a Hickory 24 in dia. S 74 E 48 M. dit. &
" Do. 18 " " " S 76 W 77. "
Sec. rate Oak land -

East Between sections 9 & 16

40.00 Set temp. gr. sec. post -
50.00 Enter prairie 16.50 M. wide
66.50 To a stream 20 M. wide cu. S.
80.80 Intersect E. line of sec. at post
Land sec. rate for

West Correct the line between sec. 9 & 16

40.40 To a Hickory 24 in dia. gr. sec. cov.
80.80 To the sections corner,

North Between sections 8 & 9

3.37 To a Beech 36 in dia. in line,
36.00 " " prairie 20.00 wide
40.00 Set gr. sec. post from which
an Elm 18 in dia. bears N 3 W 185 M. dit.
& a Do. 20 " " " N E 150 " "
69.89 To a Maple 20 " " in the line
80.00 Set post cov. to sec. 4, 5, 8 & 9 from which
a W. Oak 20 in dia. bears S 84 W 32 M.
& a Gum 12 " " " N 58 E 14 "
Mostly wet land,

T. & N. R. 7 W. 3rd New Ind.

East Between sections 4 & 9

40.00 Set a Temporary gr. sec. post,
65.00 Enter open marsh,
80.00 Intersect the E. line of sec. at post
in marsh. all wood land,

West Correct the line between sec. 4 & 9

40.00 Set gr. sec. post from which
an Elm 12 in dia. bears at 76 W 31 M.
& a B. Oak 3 " " " N 52 E 19 "
80.00 To the sec. corner,

North Between sections 4 & 5

20.00 To a B. Oak 24 in dia. in line,
40.00 Set gr. sec. post from which
a W. Oak 20 in dia. bears S 3 E 69 M.
& a Hickory 12 " " " N 3 W 90 " dit.
53.68 To an Elm 12 " " -
66.76 Intersect N. boundary 831 M. West of post
& set post cov. to sec. 4 & 5. from which
a B. Oak 18 in dia. bears S 8 E 125 M. dit.
& a Hickory 14 " " " S 57 W 152 " "
73 This line was measured from a W. Oak
bearing true. no post found at gr. post
note. this W. Oak bears from S. corner
at 3 E. 69 M. dit. - Feb 23. 1811 -
Second rate Oak land

North Between sections 31 & 32

5.00 Leave open marsh
8.67 To an ash 18 in dia. in line,
40.00 Set gr. sec. post from which
an ash 15 in dia. bears S 40 W 10 M.
& a W. Oak 18 " " " N 65 E 10 "
44.00 To an Elm - " "
80.00 Set a post cov. sec. 31 & 32, 29 & 30 -

64

S. 6 N. R. 7 W. 2nd New Ind.

6. 50 To a W. Oak 18 in. dia. bears N 63 E 49 M.
 & a Do. 12 " " " N 31 W 123 "
 Met land, Feb. 11. 1811 -

East On Random between sec. 29 & 32

40.00 Set a Temporary gr. sec. post
 80.00 Intersect the E. line of sec. 6 th. N.
 of post. (no description.)

West Correct the line between sec. 29 & 32

40.00 To a B. Oak 30 in. dia. -
 80.00 To the sec. corner.

North Between sections 29 & 30

16.19 To a W. Oak 12 in. dia. -
 40.00 Set gr. sec. post from which
 a W. Oak 12 in. dia. bears N 9 W 40 M.
 & a B. Oak 12 " " " N 80 E 34 "
 119.20 To a Hickory 18 " " -
 80.00 Set post cor. sec. 19, 20, 29 & 30 from wh.
 a B. Oak 12 in. dia. bears S 54 E 22 M. dia.
 & a Do. 18 " " " S 36 W 17 " "
 over sec. rate Oak land,

East On Random between sec. 20 & 29

40.00 Set temporary gr. sec. post,
 80.50 Intersect E. line of sec. 40 th. N.
 of post 2nd rate Oak land -

West Correct the line between sec. 20 & 29

40.25 Set gr. sec. post from which
 a B. Oak 30 in. dia. bears N 74 W 49 M.
 & a Do. 26 " " " N 40 E 21 "
 80.50 To the sec. corner.

North Between sections 19 & 20.

S. 6 N. R. 7 W. 2nd New Ind. 65

1.75 To a B. Oak 24 in. dia.
 40.00 Set gr. sec. post from which
 a W. Oak 20 in. dia. bears N 75 E 54 M.
 & a - 22 " " " N 88 W 144 " dia.
 65.95 To a W. Oak 18 " " -
 80.00 Set post cor. sec. 17, 18, 19 & 20 from which
 a W. Oak 18 in. dia. bears S 50 E 65 M. dia.
 & a Do. 36 " " " S 89 W 70 " "
 over sec. rate Oak land

East On Random between sec. 17 & 20

40.00 Set temporary gr. sec. post,
 81.08 Intersect E. line of sec. 25 th. N.
 of post. Sec. rate Oak land

West Correct the line between sec. 17 & 20

40.04 Set gr. sec. post from which
 no bearings. a Hickory 6 in. dia. cor. tw.
 81.08 To the sec. corner,

North Between sections 17 & 18

28.93 To a Hickory - in. dia.,
 40.00 Set gr. sec. post from which
 a W. Oak 14 in. dia. bears S 48 E 36 M. dia.
 & a Do. 18 " " " S 70 W 65 " "
 48.80 To a Hickory 18 " " in. dia.,
 80.00 Set post cor. sec. 7, 8, 17 & 18,
 a Hickory 18 in. dia. bears N 68 E 30 M.
 & a Do. 12 " " " S 38 W 33 "
 Sec. rate Oak land,

East On Random between sec. 8 & 17

40.00 Set a Temporary gr. sec. post
 80.50 Intersect E. line of sec. 10 th. N. of post
 sec. rate Oak land -

T. & N. R. 7 W. 2nd Mer. Ind.

West Correct the line between sec. 8 & 17
 40.25 Set gr. sec. post from which
 a B. Oak - in dia. bears S 88° W 89' 10" dist,
 & a W. Oak - " " N 4° W 105' " "
 80.50 To the sec. corner,

North Between sections 7 & 8,

14.60 To a W. Oak 20 in dia. -
 40.17 Set gr. sec. post from which
 a Hickory 15 in dia. bears S 52° E 17' 10" dist,
 & a Do. 20 " " " S 69° W 5' "
 42.00 To a prairie 15.00 wide,
 65.07 " " W. Oak 36 in dia.
 69.00 " Blk. water ck. 40 lbs. wide on E,
 80.00 Set a post cor. sec. 5, 6, 7 & 8, from which
 a B. Oak 20 in dia. bears N 48° W 44' 10" dist,
 & a W. Oak 10 " " " S 66° E 62' " "
 Sec. rate Oak land,

East On Random between sec. 5 & 8,

40.00 Set temp. gr. sec. post
 80.20 Intersect the E. line of sec. 20 thicket,
 of post. met land,

West Correct the line between sec. 5 & 8,

40.10 Set gr. sec. post from which
 an Elm 14 in dia. bears N 62° W 28' 10" dist,
 & a Do. 12 " " " S 60° W 50' " dist,
 80.20 To the sec. corner,

North Between sections 5 & 6,

10.00 Leave prairie
 11.31 To a W. Oak 24 in dia.
 38.81 " " Hickory 18 " "
 40.00 Set gr. sec. post from which
 a Hickory 18 in dia. bears N 66° E 18' 10" dist,

T. & N. R. 7 W. 2nd Mer. Ind. 67

6. Sec. & a Hickory 15 in dia. bears S 30° W 16' 10" dist,
 44.00 To a prairie 17.00 ch. wide,
 64.00 Intersect N. boundary 10.91 lbs. W. of
 post & set post cor. sec. 5 & 6, from which
 a Hickory 14 in dia. bears N 3° E W 207' 10" dist,
 Land 3rd rate. no other bearing

West Between sections 30 & 31

15.00 To a stream 15 lbs. wide on S,
 40.00 Set gr. sec. post from which
 a W. Oak 20 in dia. bears S 86° E 150' 10" dist,
 & no other.
 66.00 Intersect Range line W. boundary,
 & set post cor. sec. 30 & 31 from which
 a W. Oak 18 in dia. bears S 46° E 47' 10" dist,
 Good prairie land,

West Between sections 19 & 30,

29.09 To a Hickory
 33.00 Entered a prairie 30 ch. wide
 40.00 Set gr. sec. post in prairie no bearings
 52.50 To a stream 15 lbs. wide on S,
 66.00 Intersect Range line & set post cor. 19 & 30
 a B. Oak 36 in dia. bears N 21° E 35' 10" dist,
 & a W. Oak 24 " " " S 52° W 10' " "
 over prairie.

West Between sections 18 & 19

.70 To a W. Oak 36 in dia. -
 13.98 To a Hickory 20 " "
 40.00 Set gr. sec. post from which
 a B. Oak 36 in dia. bears S 36° W 80' 10" dist,
 & a Hickory 18 " " " N 33° W 150' "
 42.75 To a B. Oak 18 " " in the line,
 65.70 Intersect the W. boundary & set post cor.
 sections 18 & 19 from which

T. 6 N. R. 7 W. 2^d Mer. Ind^a

6. Le. a B. Oak 12 in dia. bears N 51 E 50 lks dist,
 & a Hickory 18 " " S 44 E 20 " "
 Sec: rate Oak land,

West Between sections 7 & 18,
 1.80 To a B. Oak 30 in dia. in line
 31.80 " " Hickory 18 " "
 40.00 Set gr. sec. post from which
 a Gum 12 in dia. bears S 42 W 37 lks,
 & a Hickory 18 " " N 34 W 41 " dist,
 43.25 To a B. Oak & prairie 17.00 wide,
 65.60 Intersect Range line set post
 cor. sec. 7 & 18 from which
 a Hickory 14 in dia. bears S 48 E 16 lks dist,
 & a Do. 14 " " " N 61 E 56 " "
 Sec: rate Oak land,

West Between sections 6 & 7
 2.00 To Wood land
 10.60 To a Stream 15 lks. wide in S. E.,
 16.00 Leave the do. course from N.,
 16.20 To a Hickory 15 in dia.,
 20.00 " " prairie 2500 chains wide
 40.00 Dr. sec. cor. at in prairie no bearings
 47.58 To a Hickory 20 in dia.,
 65.20 Intersect Range line N. of post,
 cor. w. 142, T. 6 N. 8 W 31.85. Set post cor
 sec. 6 & 7 from which
 a Hickory 18 in dia. bears S 22 E 36 lks,
 & a Do. 15 " " " N 35 E 118 " dist,
 Over Sec: rate prairie land,
 Surveyed by Dan & Sullivan D. S.,
 23^d March, 1811. -

T. 6 N. R. 7 W. 2^d Mer. Indiana 69

ch. lks
 North On the W. boundary of sec. 6, T. 6 N. R. 6 W
 39.00 to Marshy Pond, set post on Range line from wh.
 a Soft Maple 20 in. diam. bears S 69 E 37 lks. dist. of
 a Hickory 12 " " " S 48 W 72 " "
 92.00 leave Pond & set post on N. side from which
 a Hickory 10 in. diam. bears N 31 W 33 lks. dist. of
 a W. Oak 20 " " " N 65 E 13 " "
 100.00 to the N.W. corner of T. 6 N. R. 6 W 2^d Mer.

Meander of Marshy Pond, Commencing at
 the post on N. side of Pond thence in Sec. 1.

S 80 W 5.00
 S 38 W 5.00
 S 10 E 6.00
 South 10.00
 S 5 E 15.00
 S 24 E 10.50
 S 5 E 3.50
 S 16 E 4.42 to post in Range line S. side of Pond

Surveyed by

Nathaniel L. Spritt
 Deputy Surveyor

in 1844.